



LIMITED RELEASE 23.05.17

ITEM	QTY -011	QTY -013	NUMBER	DESCRIPTION
	X		D4271-011	FWD BEAM ASSEMBLY
		X	D4271-013	AFT BEAM ASSEMBLY
	-	-	D4271-021	DELETED AT REVISION D
	-	-	D4271-023	DELETED AT REVISION D
1	1		D4271-025	FWD BEAM END FITTING ASSEMBLY
2		1	D4271-027	SUPPORT BEAM ASSEMBLY
3	1		D4275-1	FWD BEAM
4		1	D4576-1	AFT BEAM
5	6	6	AN3C12A	BOLT
6	6	6	MS21043-3	NUT, SELF-LOCKING
7	12	12	NAS1149C0332R	WASHER (AN960C10L)



D4271-011 FWD BEAM ASSEMBLY



D4271-013 AFT BEAM ASSEMBLY

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-0XX" AND S/N "SXXXXX" PER DART QSI 044 6.1 (FINE POINT MARKER)
  - 7) WEIGHT -011: 11.02 lbs  
-013: 12.97 lbs
  - 8) TORQUE FASTENERS: AN3 BOLTS TO 20-25 in-lbs  
AN4 BOLTS TO 50-70 in-lbs


RELEASED  
2023 APR 04  
H3 ECR 494

RELEASED


F	REVISED -017/-029 VIEWS & NOTE 7; REASON ECR 442	RF	23.03.08
E	-015, -017 & -029 ADDED; -011/-013/-025/-027 UPDATED NOTE 6; -011/-013 ADDED NOTE 8; -025 UPDATED ITEM # WAS MISSING ITEM 2. REASON ECR 442	RF	22.10.20
D	DELETED -021 & -023 REPLACED BY -025 & -027 FOR Q.R. STEP INSTALLATION.	AJS	11.07.14
C	ADDED -021 & -023 FOR EASE OF CONFIGURATION MANAGEMENT. REFORMAT SEE PREV REV FOR DETAILS.	AJS	11.07.12
B	ITEM 10 CHANGED FROM AN3C12A TO AN4C13A	SC	10.12.01
A	NEW ISSUE	SC	10.11.25
REV.	DESCRIPTION	BY	DATE
DESIGN	SC	<b>DART AEROSPACE</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	SAD	DRAWING NO.	REV. F
MFG. APPR.	FK	D4271	SHEET 1 OF 5
APPROVED	CP	TITLE	SCALE
DE APPR.	CP	SUPPORT BEAM ASSEMBLIES	NTS
DATE	23.03.08	COPYRIGHT © 2010 BY DART AEROSPACE <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE</small>	

ITEM	QTY -015	QTY -017	NUMBER	DESCRIPTION
	X		D4271-015	FWD BEAM ASSEMBLY
		X	D4271-017	AFT BEAM ASSEMBLY
1	1		D4271-025	FWD BEAM END FITTING ASSEMBLY
2		1	D4271-029	AFT BEAM END FITTING ASSEMBLY
3	1		D4275-3	FWD BEAM
4		1	D4276-3	AFT BEAM
5	6		AN3C12A	BOLT
6		6	AN4C13A	BOLT
7	6		MS21043-3	NUT, SELF-LOCKING
8		6	MS21043-4	NUT, SELF-LOCKING
9	12		NAS1149C0332R	WASHER (AN960C10L)
10		12	NAS1149C0432R	WASHER

LIMITED RELEASE 23.05.17



D4271-015 FWD BEAM ASSEMBLY



D4271-017 AFT BEAM ASSEMBLY

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-0XX" AND S/N "SXXXXX" PER DART QSI 044 6.1 (FINE POINT MARKER)
  - 7) WEIGHT -015: 11.42 lbs  
-017: 14.30 lbs
  - 8) TORQUE FASTENERS: AN3 BOLTS TO 20-25 in-lbs  
AN4 BOLTS TO 50-70 in-lbs

RELEASED  
2023 APR 04


RELEASED

DESIGN	SC	DART AEROSPACE	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	SAD	DRAWING NO.	REV. F
MFG. APPR.	FK	D4271	SHEET 2 OF 5
APPROVED	CP	TITLE	SCALE
DE APPR.	CP	SUPPORT BEAM ASSEMBLIES	NTS
DATE	23.03.08	COPYRIGHT © 2010 BY DART AEROSPACE	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE			





ITEM	QTY -025	P/N	DESCRIPTION
	X	D4271-025	FWD BEAM END FITTING ASSEMBLY
1	1	D4149-5	EYEBOLT STUD
2	1	D4281-1	SPACER
3	1	D4281-3	SPACER
4	2	D4419-1	FWD SUPPORT PLATE
5	2	AN4C13A	BOLT
6	1	MS20427M4-20	RIVET, SOLID, CSK (MONEL)
7	10	MS20615-4M18	RIVET (MONEL)
8	2	MS21043-4	NUT, SELF-LOCKING
9	4	NAS1149C0432R	WASHER

LIMITED RELEASE 23.05.17



**D4271-025 FWD BEAM END FITTING ASSEMBLY**

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-025" AND S/N "SXXXXX" PER DART QSI 044 6.1 (FINE POINT MARKER)
  - 7) WEIGHT: 2.69 lbs




RELEASED  
2023 APR 04

RELEASED

DESIGN	SC	<b>DART AEROSPACE</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	SAD	DRAWING NO.	REV. F
MFG. APPR.	FK	<b>D4271</b>	SHEET 3 OF 5
APPROVED	CP	TITLE	SCALE
DE APPR.	CP	<b>SUPPORT BEAM ASSEMBLIES</b>	NTS
DATE	23.03.08	COPYRIGHT © 2010 BY DART AEROSPACE	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE			



ITEM	QTY -027	P/N	DESCRIPTION
	X	D4271-027	AFT BEAM END FITTING ASSEMBLY
1	1	D4148-3	STUD RECEIVER LOWER
1	1	D4148-5	EYEBOLT STUD
2	1	D4281-3	SPACER
4	2	D4419-3	AFT SUPPORT PLATE
5	2	AN4C13A	BOLT
6	1	MS20427M4-20	RIVET, SOLID, CSK (MONEL)
7	10	MS20615-4M18	RIVET (MONEL)
8	2	MS21043-4	NUT, SELF-LOCKING
9	4	NAS1149C0432R	WASHER

LIMITED RELEASE 23.05.17



D4271-027 AFT BEAM END FITTING ASSEMBLY

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-027" AND S/N "SXXXXX" PER DART QSI 044 6.1 (FINE POINT MARKER)
  - 7) WEIGHT: 4.25 lbs



RELEASED  
2023 APR 04



RELEASED

DESIGN	SC	<b>DART AEROSPACE</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	SAD	DRAWING NO.	REV. F
MFG. APPR.	FK	D4271	SHEET 4 OF 5
APPROVED	CP	TITLE	SCALE
DE APPR.	CP	SUPPORT BEAM ASSEMBLIES	NTS
DATE	23.03.08	COPYRIGHT © 2010 BY DART AEROSPACE	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE			



ITEM	QTY -029	P/N	DESCRIPTION
	X	D4271-029	AFT BEAM END FITTING ASSEMBLY
1	1	D4148-5	EYEBOLT STUD
2	1	D4281-3	SPACER
3	2	D4419-5	AFT SUPPORT PLATE
4	1	D5931-1	STUD RECEIVER LOWER
5	2	AN4C13A	BOLT
6	1	MS20427M4-20	RIVET, SOLID, CSK (MONEL)
7	10	MS20615-4M18	RIVET (MONEL)
8	2	MS21043-4	NUT, SELF-LOCKING
9	4	NAS1149C0432R	WASHER

LIMITED RELEASE 23.05.17



D4271-029 AFT BEAM END FITTING ASSEMBLY

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: N/A
  - 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-029" AND S/N "SXXXXX" PER DART QSI 044 6.1 (FINE POINT MARKER)
  - 7) WEIGHT: 4.09 lbs

RELEASED  
2023 APR 04

RELEASED

DESIGN	SC	<b>DART AEROSPACE</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	SAD	DRAWING NO.	REV. F
MFG. APPR.	FK	D4271	SHEET 5 OF 5
APPROVED	CP	TITLE	SCALE
DE APPR.	CP	SUPPORT BEAM ASSEMBLIES NTS	
DATE	23.03.08	COPYRIGHT © 2010 BY DART AEROSPACE THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE	